


ONE CHOICE LIGHTBOX COUNTER



Elevate your marketing and promotional efforts with the One Choice Lightbox Counter, a sophisticated and versatile display solution designed to captivate your audience. Crafted with precision and elegance, this counter seamlessly combines style, functionality, and ease of use. Whether you're showcasing your products at trade shows, exhibitions, or corporate events, the One Choice Lightbox Counter is your key to making a lasting impression.


OVERVIEW



- **SKUs**
 - OC-LBCNTR-G2 (Graphic Package)
 - OC-LBCNTR-G2 (Graphic Only)
 - OC-LBCNTR (Hardware SKU for replacement - not available as hardware Only)
- 100mm wide silver anodized double-sided aluminum profile
- Double sided SEG graphic display
- MDF countertop with black wood grain laminate
 - Countertop is permanently fixed to top profile
- Tool free assembly
- Modular design - can connect infinitely inline with other One Choice Lightbox Counters
- Includes travel bag
- Sizing is set and cannot be customized
- Countertop color cannot be changed

HARDWARE DETAILS

MDF COUNTERTOP



- Simulated wood grain
- Attached to top profile (cannot be removed)

SWIVEL FEET




- Foot Dims
- 16" L x 3" W x 7/16" H
- Attached to bottom profile (cannot be removed)

LED STRIP



- LED strip pre-installed on bottom profile



TRAVEL BAG




TRAVEL BAG FEATURES:

- Zipper closure
- 2 Carry Handles
- Foam inserts to hold profiles
- 2 velcro straps to secure all contents
- Holds frame, MDF top, and graphics
- Business card holder on front face



FRAME CONNECTION




Counters can be connected in line infinitely with the use of included clip connectors and built in frame magnets
Each frame included (qty 4) clip connectors
(qty 2) Install on front of frames
(qty 2) Install on back of frames

LIGHTING SPECS



- **LED Specs:**
 - Volts: 24V
 - Watts: 45W
 - Lumens: 230-260 (PER LED)
 - CCT: 6500K
 - LED Brand: OSRAM
 - Beam Angle: 120°
 - LED strip qty: 1 Strip on bottom profile
- **Transformer Specs**
 - Input (AC): 100-240V~50/60Hz 2.0A
 - Output (DC): 24V
 - AMPS: 2.5
- Transformer Cord Length 39" L
- Power Cord Length 108"L
- Includes Bag
 - Bag Dims: 10" L x 3 1/2" W x 3 1/2" H


HARDWARE PARTS LIST



QTY 1:
FRAME PROFILE BOTTOM



QTY 1:
FRAME PROFILE LEFT



QTY 1:
FRAME PROFILE LEFT



QTY 1:
COUNTERTOP/TOP PROFILE

- Countertop Dimensions
- 39 3/8" L x 11 3/8" W x 9/16" H



QTY 1:
TRANSFORMER

- Transformer Cord Length 39" L
- Power Cord Length 108" L



QTY 1:
TRANSFORMER BAG

- Bag Dimensions
- 10" L x 3 1/2" W x 3 1/2" H



QTY 4:
PLASTIC CLIP CONNECTORS



QTY 1:
TRAVEL BAG

- Bag Dimensions
- 42" L x 12" W x 6" H

TEMPLATE

- Same template used for front and back of counter
- Graphic packages are always double sided
- Single sided graphic packages not available
- If connecting frames each frame will have its own graphics. A single graphic cannot span multiple frames due to no modifications allowed for One Choice products.

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

ONE CHOICE LIGHTBOX COUNTER

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.875" x 39.875"

USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS
YELLOW SAFE AREA: 33"W x 33" H

*KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE*

*ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF*

Graphic Specifications:

- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:

- Photoshop (.psd, .psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

GRAPHIC INFO

- **Material:** Dye Sub Backlit (INV-FAB-BL)
- **Print Process:**
 - Paper transfer dye sublimation
- **Finishing:**
 - 12mm x 3mm keder sewn around perimeter of graphic
 - Pull tab added to bottom corner to help with graphic removal
- **Graphic Options:**
 - Graphic Package - Includes hardware and (2) Single Sided Graphics
 - Graphic Only - Includes (1) Single Sided Graphic
- **Production Time:** See product pages for current production times
- **Locations:** See product pages for location availability



Dye Sub Backlit - OC

Thickness	Printing Process	Finishing	Maximum Media Width
5.25 oz	Dye Sublimation Paper Transfer	Soft Look Bright Colors	117"

SHIPPING & WARRANTY



Shipping

- Graphic Packages Ship from PFC
- Graphic Onlys Ship from PFC
- Hardware Only Ship from PFC
- Free Bulk UPS Ground Shipping w/One Choice program

Warranty

- 1 year warranty on graphics
- Lifetime warranty on hardware

Returns

- RMA's will be shipped back to CA or PA

Shipping Dimensions

- See Spec Sheets or Product Pages for Shipping Information